

## ORDER INFORMATION

Ref. N° Usable Length 90 cm	Ref. N° Usable Length 130 cm	Ref. N° Usable Length 180 cm	Balloon Ø (mm)	Balloon Length (mm)	Recom. Introducer Sheath (F)	Nominal Pressure (Bar)	RBP (Bar)
PCE 020 020 090	PCE 020 020 130	PCE 020 020 180	2.00	20	4	8	22
PCE 020 040 090	PCE 020 040 130	PCE 020 040 180	2.00	40	4	8	22
PCE 020 060 090	PCE 020 060 130	PCE 020 060 180	2.00	60	4	8	22
PCE 020 080 090	PCE 020 080 130	PCE 020 080 180	2.00	80	4	8	22
PCE 020 120 090	PCE 020 120 130	PCE 020 120 180	2.00	120	4	8	22
PCE 020 150 090	PCE 020 150 130	PCE 020 150 180	2.00	150	4	8	22
PCE 025 020 090	PCE 025 020 130	PCE 025 020 180	2.50	20	4	8	16
PCE 025 040 090	PCE 025 040 130	PCE 025 040 180	2.50	40	4	8	16
PCE 025 060 090	PCE 025 060 130	PCE 025 060 180	2.50	60	4	8	16
PCE 025 080 090	PCE 025 080 130	PCE 025 080 180	2.50	80	4	8	16
PCE 025 120 090	PCE 025 120 130	PCE 025 120 180	2.50	120	4	8	16
PCE 025 150 090	PCE 025 150 130	PCE 025 150 180	2.50	150	4	8	16
PCE 030 020 090	PCE 030 020 130	PCE 030 020 180	3.00	20	4	8	16
PCE 030 040 090	PCE 030 040 130	PCE 030 040 180	3.00	40	4	8	16
PCE 030 060 090	PCE 030 060 130	PCE 030 060 180	3.00	60	4	8	16
PCE 030 080 090	PCE 030 080 130	PCE 030 080 180	3.00	80	4	8	16
PCE 030 120 090	PCE 030 120 130	PCE 030 120 180	3.00	120	4	8	16
PCE 030 150 090	PCE 030 150 130	PCE 030 150 180	3.00	150	4	8	16
PCE 035 020 090	PCE 035 020 130	PCE 035 020 180	3.50	20	4	8	16
PCE 035 040 090	PCE 035 040 130	PCE 035 040 180	3.50	40	4	8	16
PCE 035 060 090	PCE 035 060 130	PCE 035 060 180	3.50	60	4	8	16
PCE 035 080 090	PCE 035 080 130	PCE 035 080 180	3.50	80	4	8	16
PCE 035 120 090	PCE 035 120 130	PCE 035 120 180	3.50	120	4	8	16
PCE 035 150 090	PCE 035 150 130	PCE 035 150 180	3.50	150	4	8	16
PCE 040 020 090	PCE 040 020 130	PCE 040 020 180	4.00	20	4	8	14
PCE 040 040 090	PCE 040 040 130	PCE 040 040 180	4.00	40	4	8	14
PCE 040 060 090	PCE 040 060 130	PCE 040 060 180	4.00	60	4	8	14
PCE 040 080 090	PCE 040 080 130	PCE 040 080 180	4.00	80	4	8	14
PCE 040 120 090	PCE 040 120 130	PCE 040 120 180	4.00	120	4	8	14
PCE 050 020 090	PCE 050 020 130	PCE 050 020 180	5.00	20	4	8	14
PCE 050 040 090	PCE 050 040 130	PCE 050 040 180	5.00	40	4	8	14
PCE 050 060 090	PCE 050 060 130	PCE 050 060 180	5.00	60	4	8	14
PCE 050 080 090	PCE 050 080 130	PCE 050 080 180	5.00	80	4	8	14
PCE 050 120 090	PCE 050 120 130	PCE 050 120 180	5.00	120	4	8	14
PCE 060 020 090	PCE 060 020 130	PCE 060 020 180	6.00	20	4	8	14
PCE 060 040 090	PCE 060 040 130	PCE 060 040 180	6.00	40	4	8	14
PCE 060 060 090	PCE 060 060 130	PCE 060 060 180	6.00	60	4	8	14
PCE 060 080 090	PCE 060 080 130	PCE 060 080 180	6.00	80	4	8	14
PCE 060 120 090	PCE 060 120 130	PCE 060 120 180	6.00	120	4	8	14
PCE 070 020 090	PCE 070 020 130	PCE 070 020 180	7.00	20	4	8	12
PCE 070 040 090	PCE 070 040 130	PCE 070 040 180	7.00	40	4	8	12
PCE 070 060 090	PCE 070 060 130	PCE 070 060 180	7.00	60	4	8	12
PCE 070 080 090	PCE 070 080 130	PCE 070 080 180	7.00	80	5	8	12
PCE 070 120 090	PCE 070 120 130	PCE 070 120 180	7.00	120	5	8	12

## TECHNICAL SPECIFICATIONS

Catheter Design	Over the Wire (OTW), Coaxial Shaft
Balloon Material	Proprietary
Balloon Coating	Hydrophilic Coating
Balloon Marker	2 Swaged, Platinum Iridium
Shaft Diameter	4.0F
Usable Shaft Lengths	90, 130, 180cm
Maximum Guidewire Compatibility	0.018"



# Pacific™ Plus

PTA CATHETER OTW 0.018"

## Versatility for Everyday and Beyond



➤ [www.peripheral.medtronicendovascular.com](http://www.peripheral.medtronicendovascular.com)

**Invatec S.p.A.**  
Via Martiri della Libertà 7  
25030 Roncadelle (BS)  
Italy  
Tel: +39.030.2589311

**INVATEC Technology  
Center GmbH**  
Hungerbühlstrasse 12a  
8500 Frauenfeld  
Switzerland  
Tel: +41.52.2600660

**Medtronic International  
Trading Sàrl**  
Route du Molliau 31  
CH-1131 Tolochenaz  
Switzerland  
Tel: +41.21.802.7000

**Medtronic Vascular, Inc.**  
3576 Unocal Place  
Santa Rosa, CA 95403  
USA  
Tel: +1.707.525.0111

**Medtronic of Canada Ltd.**  
99 Hereford Street  
Brampton, Ontario L6Y 0R3  
Canada  
Tel: +1.905.460.3800

**Medtronic Latin America**  
3750 NW 87th Avenue, Suite 700  
Miami, FL 33178  
USA  
Tel: +1.786.709.4200

**Medtronic International Ltd.**  
49 Changi South Avenue 2  
Singapore 486056  
Tel: +65.6436.5000

**Medtronic Australasia Pty Ltd.**  
97 Waterloo Road  
North Ryde, NSW 2113  
Australia  
Tel: +61.29857.9000

**Medtronic Korea Co., Ltd.**  
5F, Sajo Building  
1001 Daechi-dong, Kangnam-ku  
Seoul, 135-280  
Korea  
Tel: +82.2.3404.3600

**Medtronic Mediterranean S.A.L.**  
St. Charles City Center  
6th Floor, Omar Doauk Street  
Beirut 2020-0908  
Lebanon  
Tel: +961.1.370670


UC2013043121ML Not for distribution in the USA, Japan or France. © 2013 Medtronic, Inc. All rights reserved. Printed in Europe.



Innovating for life.



# VERSATILE SHAFT LENGTHS AND ENHANCED FEATURES TO SUPPORT EVERYDAY USE

- 90, 130, 180cm shaft lengths with 0.014" and 0.018" compatibility allow for more access options
- Improved rewrap technology enables multiple inflations
- Fast deflation may contribute to shorter procedure times
- Low-compliant balloon material addresses various lesions



## EXCELLENT CROSSABILITY TO IMPROVE LESION CROSSING

- Hydrophilic coating on shaft contributes to crossability
- Low profile enables high crossability\*



\*Bench test data on file with Medtronic, Inc. Test data not indicative of clinical performance.  
<sup>†</sup>Six samples of each brand tested, 5mm x 40mm. Medtronic data on file. Bench test results may not be indicative of clinical performance.